





Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]



Sl. No.	Particulars		Common bio medical waste & disposal facility.
1.	Particulars of the Occupier	:	Devis surgico.
	(i) Name of the authorised person (occupier or operator of facility)	:	Sanjay Sasode, Manoj Jaiswal
	(ii) Name of HCF or CBMWTF	:	Devis surgico.
	(iii) Address for Correspondence	:	3, Girraj market lohiya bazar
	(iv) Address of Facility	:	1331/2 jourasi antri road.
	(v) Tel. No, Fax. No	:	0751-4053735
	(vi) E-mail ID	:	devissurgico@gmail.com
	(vii) URL of Website	:	www.devissurgico.com
	(viii) GPS coordinates of HCF or CBMWTF	:	3679+FJ, lat.26.063138 long. 78.226739
	(ix) Ownership of HCF or CBMWTF	:	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.- AW-55582 28/02/2022 valid up to 31/03/2024
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to:31/03/2024
2.	Type of Health Care Facility	:	C.B.W.T.F.
	(i) Bedded Hospital	:	13444 (Including Datia or sheopur from 01/01/23 up to 15/04/23)
	(ii) Non-bedded hospital	:	323
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	31/03/2024
3.	Details of CBMWTF	:	DEVIS SURGICO.
	(i) Number healthcare facilities covered by CBMWTF	:	623
	(ii) No of beds covered by CBMWTF	:	13444
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	2000 Kg per day

For-Devis Surgico For-Devis Surgico
 Partner
 Partner

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	554 Approx. Kg/day																																																				
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 192779.500 Red Category : 3969.900 White: 1215.00 Blue Category : 3904.00 General Solid waste: Nil																																																				
5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																						
	(i) Details of the on-site storage facility	:	Size : Y- 10X18/ R- 10X18/ W- 10X18/ B- 10X18 Capacity : Y- 5K/ R- 3K/ B- 5K/ W- 3K Provision of on-site storage : (cold storage or any other provision)																																																				
	(ii) Details of the treatment or disposal facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators-</td> <td>1+1,</td> <td>100k.g. p/hr.</td> <td>rotary klin.</td> </tr> <tr> <td>Plasma Pyrolysis-</td> <td>N/A</td> <td></td> <td></td> </tr> <tr> <td>Autoclaves-</td> <td>250 liter</td> <td>1+1</td> <td>horizontal in shape</td> </tr> <tr> <td>Microwave</td> <td>-</td> <td>N/A</td> <td></td> </tr> <tr> <td>Hydroclave</td> <td>-</td> <td>N/A</td> <td></td> </tr> <tr> <td>Shredder-</td> <td>50k.g. per/H2</td> <td>1+1</td> <td></td> </tr> <tr> <td>Needle tip cutter or Destroyer-</td> <td>02</td> <td></td> <td></td> </tr> <tr> <td>Sharps-</td> <td>sharp-pit in capsulation size, Encapsulation or Concrete pit</td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits:-</td> <td>None</td> <td></td> <td></td> </tr> <tr> <td>Chemical - Dosing tank</td> <td>hypochloride</td> <td></td> <td></td> </tr> <tr> <td>Disinfection:-</td> <td>yes, blue category glass.</td> <td></td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td>Blue category disinfection tank.</td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators-	1+1,	100k.g. p/hr.	rotary klin.	Plasma Pyrolysis-	N/A			Autoclaves-	250 liter	1+1	horizontal in shape	Microwave	-	N/A		Hydroclave	-	N/A		Shredder-	50k.g. per/H2	1+1		Needle tip cutter or Destroyer-	02			Sharps-	sharp-pit in capsulation size, Encapsulation or Concrete pit			Deep burial pits:-	None			Chemical - Dosing tank	hypochloride			Disinfection:-	yes, blue category glass.			Any other treatment equipment:	Blue category disinfection tank.		
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																																				
Incinerators-	1+1,	100k.g. p/hr.	rotary klin.																																																				
Plasma Pyrolysis-	N/A																																																						
Autoclaves-	250 liter	1+1	horizontal in shape																																																				
Microwave	-	N/A																																																					
Hydroclave	-	N/A																																																					
Shredder-	50k.g. per/H2	1+1																																																					
Needle tip cutter or Destroyer-	02																																																						
Sharps-	sharp-pit in capsulation size, Encapsulation or Concrete pit																																																						
Deep burial pits:-	None																																																						
Chemical - Dosing tank	hypochloride																																																						
Disinfection:-	yes, blue category glass.																																																						
Any other treatment equipment:	Blue category disinfection tank.																																																						
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) 7873.9 Kg per annum																																																				
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	8 dedicated covered G.P.S. installed vehicle are deployed for B.M.W. collection transportation.																																																				
	(v) Details of incineration ash and ETP sludge generated and disposed	:	<table border="1"> <thead> <tr> <th>Quantity generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Quantity generated	Where disposed																																																		
Quantity generated	Where disposed																																																						

For-Devis Surgico For-Devis Surgico
 Partner
 Partner

	during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge - As per Manifest / T.S.D.F
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	: Debabrata Roy, Brajesh Shakya.
	(vii) List of member HCF not handed over bio-medical waste.	Enclosed separately.
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes, attached meeting minutes.
7	Details trainings conducted on BMW	Yes our reg. samiti along conduct the B.M.W. training program.
	(i) Number of trainings conducted on BMW Management.	300 (Three hundred) workers & staff nurse, students are trained.
	(ii) number of personnel trained	300, Nursing students are trained.
	(iii) number of personnel trained at the time of induction	100 (nos) of staff nurse.
	(iv) number of personnel not undergone any training so far	200 staff (nos)
	(v) whether standard manual for training is available?	11 AM to 3 PM
	(vi) any other information)	Training facility & field visit one day available.
8	Details of the accident occurred during the year	NONE
	(i) Number of Accidents occurred	NONE
	(ii) Number of the persons affected	NONE
	(iii) Remedial Action taken (Please attach details if any)	Health checkup properly or submission fire fighting system already installed.
	(iv) Any Fatality occurred, details.	OCEMS is already installed & working properly.
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	NONE
	Details of Continuous online emission monitoring systems installed	O.C.E.M.S is already Installed and working properly.
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NONE
11	Is the disinfection method or sterilization meeting the log 4	

For-Devis Surgico For-Devis Surgico
 Partner
 Partner

	standards? How many times you have not met the standards in a year?		NONE
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) venturi scrubber, mist eliminator, droplet scrubber, pack bed filter, beggon filter.

Certified that the above report is for the period from 1st January 2023 to 31st January 2023

DEVIS SURGICO 1331/2, JOURASI ANTRI ROAD GWALIOR DISTRICT GWALIOR (M.P.)

Date:- 20/01/2024

Place:- Gwalior

For-Devis Surgico For-Devis Surgico
 Name and Signature of the Head of the Institution
 Devis surgico, 1331/2 jourasi antri road Gwalior.
 (M.P.) Partner

Installed treatment and disposal capacity: 2000 k.g. per day

Area or distance covered by CBWTF: Gwalior District.

Quantity of Biomedical waste handled, treated or disposed:

Type of Waste category	Quantity permitted for handling
Yellow	192779.500
Red	3969.900
White (Translucent)	1215.00
Blue	3904.00

1. This authorization shall be in force for a period of 31/03/2024 years from the date of issue.
2. This authorization is subject to the conditions stated below and to such other condition as may be specified in the rules of the time being in force under the environment (protection) Act, 1986.

Date
Place *Gwalior*

For-Devis Surgico For-Devis Surgico
Signature
Designation
Partner Partner

Terms and condition of authorization*

1. The authorization shall comply with the provisions of the Environment (protection) Act, 1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any authorization change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.

[Handwritten signature]

RES/PIWMPL/23-24/GWI-862
13th January 2024



To,

M/s. Devis Surgico
1331/2, Jourasi Antri Road,
Gwalior, Madhya Pradesh.

Kind Attention: Mr. Sanjay Sasode

Sub: Membership to CHW TSDI – Pithampur

Dear Sir,

With reference to your agreement dated 29/06/2021.

We are pleased to renew your membership and further welcome you as **MEMBER** of Pithampur Industrial Waste Management Private Limited for utilizing our Common Hazardous Waste Treatment, Storage Disposal Facility [CHW TSDI], to dispose your Hazardous Waste safely & securely.

Your Membership No. is PIWMPL-HzW-GWI-862.

This Membership is valid for **March 31st 2024** or until the existence of this facility, whichever is earlier. It shall be renewed subject to all terms and conditions of our mutual contract in order and fulfilled.

We will now plan the Waste collection activity and keep you inform to enable timely collection as per the schedules.

We seek your co-operation and assistance to help us meet our common objectives of keeping our Environment safe and secure.

We once again thank you and assure of our best services and look forward to an environment friendly relationship.

Please do contact us for any further information and clarification.

Thanking you

Yours truly,

For

Pithampur Industrial Waste Management Private Limited



Pithampur Industrial Waste Management Private Limited
(A subsidiary of re Sustainability Limited)

CIN No. U90000TG2010PTC071919

Registered Office:

Level 11B, Aurobindo Galaxy,
Hyderabad Knowledge City,
HITECH City Road, Hyderabad-500 081,
India

Site Address:

Plot No 104, Industrial Area, Sector II,
Pithampur, District Dhar - 454 775,
Madhya Pradesh,
India.






Certificate REG No : 23EQKR96 [ISO 9001 : 2015]
Certificate REG No : 23EEKW93 [ISO 14001 : 2015]
Certificate REG No : 23EOKEB89 [ISO 45001 : 2018]

T: 7067678811,12,13

E: mbdmpwmp@resustainability.com

piwmp.com

BMW.COLLECTION THROUGH APP



A.K AGRAWAL & ASSOCIATES
CHARTERED ACCOUNTANT


F-238, HARISHANKARPURAM
JHANSI ROAD, GWALIOR
MADHYA PRADESH-474001
MOB: - 94069-76699

TO WHOMEVER IT MAY CONCERN

This is to certify that M/s Devis Surgico Pan No AAGFD6863J Partnership Firm giving registered office at Shop No 3, Girraj Market, Lohiya Bazar, Gwalior (M.P) have undertaken project of bio medical plant & made investment in Plant & Machinery, Equipments & Other Fixed Assets as on date 31.03.2023 of Rs. 342.61 Lacs as per Audited Balance Sheet.

This certificate is issued on the written request of the partners of the firm.

For A.K Agrawal & Associates
Chartered Accountant



Name of the CA: CA Vikas Agrawal
Designation: Partner
Membership No: 431402
Firm Registration No. (FRN) – 08009C
Date: 01.02.2024
Place: Gwalior
UDIN: 24431402BKAPJX5498